7020

20 liter Wide neck drum - Recycled



Product part	Product code	Materials
Drum	7020	HDPE (70% Recycled)
Lid	7026	HDPE (50% Recycled)
Gasket	H14	EPDM

Capacity	Liters	US Gallons
Brimful	20.4	5.39
When closed	20	5.28

Hazardous material information	
Hazardous material type	Solids
Packaging group	I – II – III
UN marking	UN/1H2/X27/S//NL/CURTEC 230530 REC
Maximum gross mass (kg)	X=27



Weight	Grams	Ounces
Drum	880	31.04
Lid	258	9.10
Gasket	15	0.53
Total	1153	40.67

Weight tolerance

All products have a tolerance of $\pm 4\%$ of the initial weight mentioned on this data sheet

Dimensional tolerances	%
Height	±2.5
Diameter	±1.5

Wall thickness	mm
Minimal wall thickness	≥1.6
Nominal wall thickness	≥1.6

Colors	Color code	PMS references
Drum*	Grey 135	421 C
Lid*	Green 574	627 C

* Other colors available on request

Product identification	Drum	Lid
Manufacturer ID	Bottom	
Product code	Bottom	
Recycle logo / Material type	Bottom	Inside
Date clock	Bottom	Inside
UN-mark	Bottom	
Food logo	NA	NA
Material track clock	Bottom	
CFR49-mark	Bottom	


Other information	
Maximum filling temperature is 70°C/ 158°F	
Contents must have cooled to 30°C/ 86°F before containers can be closed and stacked	
DoC Recycled material available on request	
UN certificate available on request	
MVTR declaration available on request	
Watertightness declaration available on request	
User manual available on request	
All drums can be made tamper evident with application of compact seal # 7800	
This product is not foodgrade	

DISCLAIMER

CurTec manufactures packaging material for a wide range of purposes. This declaration is restricted to the packaging material as it leaves the production facility. CurTec has neither control over final end use of the product nor over processing conditions. It is therefore the responsibility of the end user to check compliance with the relevant regulations and to validate material performance in the end application through proper end use testing.

© 2023 Property of CurTec International B.V. All rights explicitly reserved, it is not allowed to copy or communicate to other parties without written consent of CurTec.





This document is property of CurTec Nederland B.V. and may not be copied or communicated without written consent. All Rights Reserved

Title



Units

mm